







LINEA ROSSA®







LR4100
OPENING SYSTEM



LINEA ROSSA®

LR4100
OPENING SYSTEM

INDEX

Profile	Profile Nr	Y mm.	ly'cm	Weight (kg/m)	Page
	LR-4101	45 mm. 46,6 mm.	8,00 3,04	0.743	08 20 21 22 26
	LR-4104	45 mm. 53,4 mm.	8,00 3,04	0.795	08 20 21 22 26
	LR-4102	45 mm. 72,1 mm.	16,83 9,34	0.937	08 20
	LR-4103	45 mm. 72,5 mm.	14,09 3,98	0.869	08
	LR-4105	80 mm. 43,5 mm.	21,68 3,94	1.055	09 27 28
	LR-4109	120 mm. 45 mm.	60,14 16,59	1.267	09 23
	LR-4111	67,1 mm. 45 mm.	8,32 7,00	0.873	10 23

Profile	Profile Nr	Y mm.	ly'cm	Weight (kg/m)	Page
	LR-4112	92,6 mm. 45 mm.	22,60 11,88	1.065	10 24
	LR-4113	92,6 mm. 45 mm.	11,68 9,71	0.946	10
	LR-4115	58 mm. 53,25 mm.	10,70 6,02	0.897	13 25
	LR-4121	52 mm. 64,1 mm.	14,01 3,38	0.870	11 21 24 25 28
	LR-4122	52 mm. 74 mm.	18,02 6,13	0.982	11 26
	LR-4123	52 mm. 78,6 mm.	19,91 7,56	1.076	11

Profile	Profile Nr	Y mm.	ly'cm	Weight (kg/m)	Page
	LR-4126	94,6 mm. 52 mm.	32,70 14,42	1.288	12 22 27
	LR-4128	94,6 mm. 52 mm.	27,92 18,74	1.301	12
	LR-4151	30,58 mm. 43,6 mm.	2,81 0,54	0.330	15
	LR-4156	45 mm. 18,43 mm.	2,71 0,14	0.295	14 26
	4016	18,9 mm. 4,3 mm.	0,16 0,07	0.138	13
	613	40 mm. 40 mm.	4,32 4,32	0.648	14 26
	641	45 mm. 45 mm.	8,24 8,24	0.710	14

Profile	Profile Nr	Y mm.	ly ⁴ cm	Weight (kg/m)	Page
	LR-4137	18,90 mm. 24,85 mm.	0,45 0,09	0.160	17
	LR-4136	18,90 mm. 24,85 mm.	0,55 0,17	0.223	17
	LR-4132	18,90 mm. 24,85 mm.	0,57 0,28	0.225	17
	LR-4135	18,90 mm. 24,85 mm.	0,61 0,46	0.246	17
	LR-4134	21,70 mm. 24,85 mm.	0,68 0,55	0.264	16
	LR-4532	23,70 mm. 24,85 mm.	0,79 0,56	0.283	16
	LR-4133	25,20 mm. 24,85 mm.	0,85 0,57	0.290	16
	LR-4131	29,70 mm. 24,85 mm.	1,10 0,60	0.298	16
	LR-5132	33,70 mm. 24,85 mm.	1,40 0,61	0.319	16
	LR-4531	38,70 mm. 24,85 mm.	1,89 0,63	0.350	16

LINEA ROSSA®


LR4100
OPENING SYSTEM

PROFILLER

Kasa Profili - Frame Profile

0,743 Kg/m


LR-4101



Kasa Profili - Frame Profile

0,795 Kg/m


LR-4104



Pervazlı Kasa Profili - Frame Profile

0,869 Kg/m


LR-4103



Kasa Profili - Frame Profile

0,937 Kg/m


LR-4102



Sabit Kasa Profili - Frame Fixed

1,055 Kg/m


LR-4105



Baza Profili - Kick Plate

1,267 Kg/m


LR-4109



Kayıt Profili - Transom Profile

0,870 Kg/m


LR-4111



Kayıt Profili - Transom Profile

0,947 Kg/m


LR-4113



Kanat Profili - Sash Profile

1,065 Kg/m


LR-4112



Kanat Profili - Sash Profile

0,870 Kg/m


LR-4121



Kanat Profili - Sash Profile

0,982 Kg/m


LR-4122



PVC Kanallı Kanat Profili (13 mm.)- Sash Profile

1,076 Kg/m

LR-4123




13 mm. Aks için Kanat

Kanat Profili - Sash Profile

1,288 Kg/m


LR-4126



Kanat Profili - Sash Profile

1,301 Kg/m


LR-4128



Çift Kanat Adaptörü - Adapter Profile For Double Vent

0,897 Kg/m


LR-4115



Tij Profili - Rod Profile

0,138 Kg/m


4016



Eksenel Dönüş - Axial Turn

0,295 Kg/m


LR-4156



Eksenel Dönüş Borusu - Pipe of Axial Turn

0,648 Kg/m


613










90° Köşe Profili - Corner Profile

0,710 Kg/m




641







Cam Çıtası - Glazing Bead





Cam Kalınlığı	Çita Profili	İç Cam Fiteli	Dış Cam Fiteli
4 mm	LR-4131	BM-04 (4mm)	BM-26
5 mm	LR-4131	BM-06 (2,5-3mm)	BM-26
6 mm	LR-4131	BM-27 (1,5-2mm)	BM-26
8 mm	LR-4133	BM-27 (1,5-2mm)	BM-26
10 mm	LR-4532	BM-04 (4mm)	BM-26
12 mm	LR-4134	BM-04 (4mm)	BM-26
14 mm	LR-4134	BM-27 (1,5-2mm)	BM-26
16 mm	LR-4135	BM-04 (4mm)	BM-26
18 mm	LR-4135	BM-27 (1,5-2mm)	BM-26
20 mm	LR-4132	BM-04 (4mm)	BM-26
22 mm	LR-4132	BM-27 (1,5-2mm)	BM-26
24 mm	LR-4136	BM-06 (2,5-3mm)	BM-26
26 mm	LR-4136	BM-27 (1,5-2mm)	BM-26
30 mm	LR-4137	BM-05 (5mm)	BM-26

İç Cam Fiteli	İç Cam Fiteli	İç Cam Fiteli	İç Cam Fiteli	Dış Cam Fiteli	Kasa Fiteli	Kanat Fiteli	Bini Fiteli
BM-27 (1,5-2mm)	BM-06 (2,5-3mm)	BM-04 (4 mm)	BM-05 (5 mm)	BM-26 (3,5 mm)	BM-21	BM-25	BM-51
265 mt.	190 mt.	160 mt.	190 mt.	226 mt.	340 mt.	400 mt.	103 mt.


LINEA ROSSA®

LR4100
OPENING SYSTEM


DETAYLAR





1.1 Detayı
Details





1.1 Detayı
Details





2.2 Detayı
Details




3.3 Detayı
Details










6.6 Detayı
Details






7.7 Detayı
Details














LINEA ROSSA®

LR4100
OPENING SYSTEM

KESİM ÖLÇÜLERİ



Kanat Geniřlięi

$$A = L - 40.2 \text{ mm.} \quad A = L1 + 12 \text{ mm.}$$

Kanat Ykseklięi




$$B = H - 40.2 \text{ mm.} \quad B = H1 + 12 \text{ mm.}$$

Cam Geniřlięi

$$C = L - 128.4 \text{ mm.}$$

Cam Ykseklięi

$$D = H - 128.4 \text{ mm.}$$



Kanat Geniřlięi

$$A = L - 91.2 \text{ mm.} \quad A = L1 + 12 \text{ mm.}$$

Kanat Ykseklięi




$$B = H - 91.2 \text{ mm.} \quad B = H1 + 12 \text{ mm.}$$

Cam Geniřlięi

$$C = L - 179.4 \text{ mm.}$$

Cam Ykseklięi

$$D = H - 179.4 \text{ mm.}$$



Kanat Genişliği

$$A = \frac{L - 45,2}{2} \text{ mm.} \quad A = \frac{L1 + 7}{2} \text{ mm.}$$

Kanat Yüksekliği

$$B = H - 40,2 \text{ mm.} \quad B = H1 + 12 \text{ mm.}$$

Cam Genişliği

$$C = \frac{L - 239,6}{2} \text{ mm.}$$

Cam Yüksekliği

$$D = H - 128,4 \text{ mm.}$$

designed by

LINEA ROSSA®

MILANO

LR4100

OPENING SYSTEM

TEKNİK KATALOG
TECHNIC CATALOGUE

www.linearossa.eu

BEYMETAL ALÜMİNYUM SANAYİ ve TİC. LTD. ŞTİ.

Kemalpaşa Organize Sanayi Bölgesi

Ulusluk Mevkii İstiklal Mahallesi 21. Sokak

No.5 Ulucak / Kemalpaşa-İZMİR

Tel : +90 232 877 21 14 (pbx) Fax: +90 232 877 03 39

info@beymetal.com.tr | www.beymetal.com.tr

